

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Web History](#) | [Search settings](#) | [Sign in](#)


About 5,250,000 results (0.36 seconds)

[Advanced search](#)**Everything**

More

[Show search tools](#)

Scholarly articles for **use patterns interface tags methods**


[... face tracking for use in a perceptual user interface](#) - Bradski - Cited by 743

[UML-F: A modeling language for object-oriented](#) - Fontoura - Cited by 81

[Expert one-on-one J2EE Design and Development](#) - Johnson - Cited by 115

IDisposable Interface (System)

Use the Dispose **method** of this **interface** to explicitly release unmanaged ... the **IDisposable interface**, use the try/finally **pattern** to make sure that ... Dispose (disposing) :</p><pre>protected virtual void Dispose (...</pre>. **Tags:**

[msdn.microsoft.com/en-us/library/system.idisposable.aspx](#) - Cached - Similar

ICloneable Interface (System)

Re: the **use** of this **interface**, Last Edit 1:13 AM by coderblog ... A type-safe **pattern** to implement this **interface** can be found here:

<mtps:InstrumentedLink ... which is the whole point in using a "Clone" **method** in OO languages. ... adhere to those design specifications. </P>.

Tags: **interface** **icloneable** ...

[msdn.microsoft.com/en-us/.../system.idcloneable\(VS.80\).aspx](#) - Cached - Similar

More results from msdn.microsoft.com »

EJB best practices: Improve your remote object design

How the Business **Interface pattern** helps get around mismatched **methods** **Tags:** Help. Use the search field to find all types of content in My ...

[www.ibm.com/developerworks/java/library/j-ejbtp0820/](#)

- Cached - Similar

Creating a Custom Validator

Provide an implementation of the Validator **interface** to perform the validation. ... While iterating over the list, this **method** checks the **pattern** of the component's ... Using a Custom Validator explains how to **use** the validator **tag**. ...

[download-](#)
[http://www.oracle.com/javaee/1.4/tutorial/.../JSFDevelop6.html](#)

- Cached

Adapter Design Pattern

Jun 22, 2007 ... In these lenses, Design **Patterns** display **tags** hide **tags**. **Tags** ... These two **methods** embody the difference between the **use** of inheritance and ... The adapter inherits the target **interface** that the client expects to see, ...

[cnx.org / Content](#) - Cached - Similar

[Use of Marker Interface in java | JavaWorld's](#)[Daily Brew](#)

8 posts · 4 authors · Last post: Sep 17, 2009

Tags: Core Java · Marker Interface. Marker interface means , interface which has no methods. Then what is the necessity of its usage, ...[www.javaworld.com › Java Standard Edition -](#)[Cached](#) · [Similar](#)[Tag Cloud design pattern - UI-Patterns.com](#)**User Interface Design Pattern:** The user wants to browse content by popularity or most elaborate ... Do not use to show the categories of a strict hierarchical structure ... **Tags** are used as a categorization method for content items ...[ui-patterns.com/patterns/TagCloud](#) - [Cached](#)[A JavaScript Module Pattern » Yahoo! User Interface Blog \(YUIBlog\)](#)Jun 12, 2007 ... **User Interface Blog (tags: javascript programming yui pattern ...** If you use the pattern as explained in the blog entry, public methods ...[www.yuiblog.com/blog/2007/06/12/module-pattern/](#) -[Cached](#) · [Similar](#)[Basic usage patterns](#)

These newInstance() methods use system property settings to determine which ... ContentHandler interface and receives calls during result tree serialization. You can use the DocumentURL and StyleURL PARAM tags or the ...

[xml.apache.org/xalan-j/usagepatterns.html](#) -[Cached](#) · [Similar](#)[Uses of interface org.htmlparser.Tag \(HTML Parser 2.0\)](#)

Packages that use Tag. org.htmlparser. The basic API classes which will be ... org.htmlparser.visitors. The visitors package contains classes that use the Visitor pattern. ... Methods in org.htmlparser.beans with parameters of type Tag ...

[htmlparser.sourceforge.net/javadoc/org/.../class-](#)[user/Tag.html](#) - [Cached](#) · [Similar](#)

1 2 3 4 5 6 7 8 9 10

[Next](#)

use patterns interface tags method Search

Search within results Search Help
Give us feedback[Google Home](#)[Advertising Programs](#)[Business Solutions](#)[Privacy](#)[About Google](#)[Change background image](#)